


Tapco  **Tools**



Tapco-Europe-Tools.com



Tapco Tools

The Legendary Quality that Started it All

While we invented the portable siding brake more than 50 years ago, there's no way we're sitting still. For your siding, roofing, trim and flashing fabrication needs, look no further than the many solutions offered by the world market leader, Tapco Tools.

Want to create a finishing touch that will distinguish your work? Turn to Tapco's Brake Buddy® roll-forming tool – a true job differentiator.

Need some business-boosting ideas? Visit the Tapco TV channel on YouTube for the most complete how-to video library and expand your brake know-how. When you take a look at Tapco Tools, you won't need to look any further.




I bought a Tapco brake brand-new in 1989, and I'm still using it today. It's simple and easy. You can do a lot more with it than I've seen anybody else do with any other brake.

Mickey Sensinger, Self-employed Contractor

Tapco PRO Brakes

From soffit and fascia to custom brick mold, sill trim, window casing, chimney flashing and more, Tapco's PRO brake easily produces custom pieces for any siding and roofing application. The efficient pulling motion of the hemming handle keeps the material securely in place without interference and the unique toggle lock system reduces operator fatigue and excessive wear and tear. Independent bending handles allow for easy operation, letting you get closer to the work. The patented Moving Pivot Hinge provides increased bending power, and the unique hemming capability allows for 180-degree overbends to produce more rigid panels.




Tapco Brakes come almost completely assembled, just install the handles and **you're ready to bend in 5 minutes!**



ITEM #	PRODUCT	LENGTH FEET/METERS		WORKING WEIGHT POUNDS/ KILOGRAMS		CAPACITIES
14206	PRO 19	4'	1,22 m	56 lbs.	25,4 kg	
11825	PRO 19	6'	1,83 m	85 lbs.	38,6 kg	
10556	PRO 19	8' 6"	2,59 m	96 lbs.	43,4 kg	Soft Aluminium: Up to 0,76mm
10558	PRO 19	10' 6"	3,20 m	121 lbs.	54,7 kg	Galvanised Steel: Up to 0,321mm
10560	PRO 19	12' 6"	3,81 m	147 lbs.	66,8 kg	Copper sheet & coil: Up to 453,6g
10565	PRO 14	8' 6"	2,59 m	87 lbs.	39,3 kg	Soft Aluminium: Up to 0,76mm
10567	PRO 14	10' 6"	3,20 m	106 lbs.	48,1 kg	Galvanised Steel: Up to 0,321mm
10569	PRO 14	12' 6"	3,81 m	129 lbs.	58,4 kg	Copper sheet & coil: Up to 453,6g
10568	PRO 14 Heavy Duty	10' 6"	3,20 m	127 lbs.	57,6 kg	Soft Aluminium: Up to 1,016mm
						Galvanised Steel: Up to 0,405mm
						Copper sheet & coil: Up to 567g

PRO 19: Throat depth 482,6mm • Mouth opening 60,325mm PRO 14: Throat depth 355.6mm • Mouth opening 60.325mm




The PRO System



Snap Stand®

Solid support for portable brakes and saw tables.

- Item #11720
- Legs adjust independently to level on uneven ground.
- Brakes and Tables easily snap and lock in place.
- Folds flat for easy storage and sets up in seconds.
- **Optional Wheel Kit** is easy to attach Steel hub, 254mm, foam core. Item #14978



Side-Winder®

Keeps the coil at your side!

- Item #10776
- Allows you to feed coil directly into the jaws of your PRO Series Brake.
- Attaches in seconds to PRO Series brakes (1995 and after, excluding 3,81m model).
- Use in conjunction with the PRO Cut-off, cut lengths in seconds!



PRO Cut-Off

Quickly and safely make factory quality cuts.

- Item #10379
- Lightweight Aluminium construction built to last.
- Eliminates damage to hinge and the stainless steel edge from utility knives and open blades.
- Use with all PRO Series Brakes (1995 and after).
- Includes molded plastic storage case.



PRO Cut-Off Gauge

Makes cuts faster without measuring each cut.

- Item #12250
- Includes 2 gauges.
- Easily identifies distance for Cut-Off usage.
- Simplifies cutting.
- For use with the PRO Series brakes.
- Hook a tape measure to the elevated tab for accurate marking on trim coil.


All the tools you need to complete the job.



Angle Gauge

Take the guesswork out of your bends.

- Item #11663
- Mounts easily on any PRO, SUPERMAX, or MAX-20 brake built after 1995.
- Quickly shows the bending angle.



Brake Buddy®

Roll forming tool for portable brakes.

- Item #11676
- Includes storage case.
- Quickly and easily forms brick mold trim and decorative ribs.
- Enables you to offer added style and individuality to all your jobs.
- Create Fascia and Soffit with the Rib and V-Groove rollers for cost-savings over pre-made trim.
- Easy adjustment with a flick of your wrist.




TapcoTape™

Allows you to measure from your brake anvil and with 38mm offset needed for the Pro Cut-Off without using a tape measure.

- Item # T15436
- Two-sided scale.
- Use as a measuring scale to achieve bends and cut-off measurements.
- Comes with two material stops.
- UV stabilised laminated heavy duty sticker.
- Clamps to brake in seconds.

Standard Brake Buddy rollers - Included




Rib Rollers
Item #14553

Brickmold Rollers
Item #14554



Optional Brake Buddy Rollers - Sold separately



Traditional Brickmold Rollers
Item #14555

V-Groove Rollers
Item #14547



Crown Mold Rollers
Item #14556



MAX-20[®] System

Whether on the job site or at the shop, Tapco's MAX-20 System's MAX-20™ Brake delivers commercial-grade bending in a lightweight package. Weighing just 60,1kg for the 2,59m-long model, the brake handles thick metals. The MAX-20 System includes the **Adjustable MAX Cut-Off** and the **MAX Snap Stand with Wheel Kit** for full portability and easy one-man transport.

ITEM #	LENGTH FEET/METERS	WORKING WEIGHT POUNDS/ KILOGRAMS	CAPACITIES
11017	8' 6" 2,59 m	133 lbs. 60,1 kg	Aluminium: Up to 1,02mm Galvanised Steel Painted: Up to 0,45mm Soft & Annealed Copper: Up to 1,1mm Stainless Steel, ½ hard: Up to 0,5mm
11018	10' 6" 3,20 m	158 lbs. 71,6 kg	
11019	12' 6" 3,81 m	190 lbs. 86,0 kg	
10997	14' 6" 4,42 m	217 lbs. 98,3 kg	
Throat depth: 482,6mm • Mouth opening: 60,325mm			




Adjustable MAX Cut-Off

Makes factory quality cuts in commercial sheet metals right on your SUPERMAX or MAX-20 Brake.

- Item #12261
- Adjustment allows cuts on a large range of materials.
- Eliminates the need for unsafe utility knives and conventional shears.
- Includes molded plastic storage case.





MAX-20®
Brake

MAX Cut-Off

Independent
Bending
Handles

MAX Snap
Stand®

Die castings with **reinforcing ribs** for increased bending performance.



Double-walled **pivot arms** provide added strength.



Moving hinge system is easy to maintain and increases bending power.



SUPERMAX® Brake



Ergonomic handles offer a better grip and added leverage.

MAX Stand® offers complete stability with its trapezoidal design and wider plank.



SUPERMAX® Brake

The solution for heavy-duty commercial bending power, the SUPERMAX Commercial Bending System includes a **SUPERMAX® Brake, MAX Stand®** and **Adjustable MAX Cut-Off**. Stability and toughness are built into the SUPERMAX Brake with double-walled pivot arms providing added strength and die castings with reinforcing ribs for increased bending performance and reduced deflection. The brake's ergonomic handles deliver a superior grip and added leverage while the easy-maintenance moving hinge system increases bending power without marring material. The MAX Stand with its trapezoidal design and wide plank brings complete stability. The included Adjustable MAX Cut-Off allows precise, factory-quality cuts on a wide range of materials. The heavy-duty roller shear eliminates the need for unsafe, repetitive utility knife and conventional shear cutting, and provides a clean transfer of power with its comfortable, ergonomic handle.



**Adjustable
MAX Cut-Off**

ITEM #	LENGTH FEET/METERS		WORKING WEIGHT POUNDS/ KILOGRAMS		CAPACITIES
14470	8' 6"	2,59 m	165 lbs.	74,84 kg	All Vinyl Sheet Aluminium: Up to 1,02mm
14471	10' 6"	3,20 m	208 lbs.	94,35 kg	Galvanised Steel: Up to 0,64mm CR Sheet & Coil Steel: Up to 0,64mm
14472	12' 6"	3,81 m	242 lbs.	109,77 kg	Soft & Annealed Copper: Up to 1,09mm Stainless Steel, ½ hard: Up to 0,5mm
Throat depth: 498,5mm • Mouth opening: 36,5mm 180° hemming capacity for making more rigid panels.					

“Windy”[®] SP


For more than 30 years, the “Windy” SP Port-O-Brake has been the tried-and-true workhorse of the industry. Lightweight yet durable, the Windy delivers versatility and portability to contractors, locking onto a wide variety of material thicknesses with no need for adjustments. Capable of 130-degree overbends, the “Windy” handles materials such as 0,76mm soft Aluminium and 0,29mm galvanised steel. From soffit and fascia to sill trim and window casing, the “Windy” SP produces custom pieces for various applications. The bending handle detaches for easy transport. Available 762mm Folding Legs with sturdy tubular steel construction also enhance portability. Can be used with Tapco’s Brake Buddy roll-forming tool to quickly create brick mold trim and decorative ribs for jobs with individual style.



ITEM #	LENGTH FEET/METERS	WORKING WEIGHT POUNDS/ KILOGRAMS	CAPACITIES	
10828	8' 6"	2,59 m	86 lbs. 38,9 kg	Soft Aluminium: Up to 0,76mm Galvanised Steel: Up to 0,29mm
10829	10' 6"	3,20 m	104 lbs. 47,2 kg	Copper: Up to 0,55mm

Throat depth 14" • Mouth opening: 3/4"

The brake that started it all.



Tables • Slitters • Accessories



Port-O-Slitter®

Portable precision slitting and rib forming system.

- Item #10385
- (2) sets of cutting knives included to make single or multiple factory-quality cuts.
- Forms strengthening ribs and perforates most materials.
- **Optional accessories:**
 - 1/2 H.P. Motor Kit -110v (Item #10388)
 - 1/2 H.P. Motor Kit -220v (Item #10389)
 - Slitter Snap Stand (Item #12357)
 - Slitter Cut-Off (Item #10667)
 - PRO-Coiler (Item #10367)
 - Perforating Rolls/Vinyl - 2" (51mm) Shaft (Item #11476)
 - Perforating Rolls/ Alum. - 2" (51mm) Shaft (Item #11478)
 - Perforating Rolls/H.D. - 2" (51mm) Shaft (Item #11479)



PRO-Coiler®

Portable trim coil holder.

- Item #10367
- For use with the "Windy" SP, PRO 14, or Port-O-Slitter.
- Lightweight and easy to use.
- Attaches and detaches easily.
- Allows for easy coil changes in seconds.



Folding Legs

Light duty leg set for use with "Windy" SP or PRO 14.

- Item #10147 Windy
- Item #10148 PRO 14
- Tubular steel construction.
- 30" (762mm) high, folds compactly.



Port-O-Slitter shown with optional accessories: Slitter Snap Stand, Slitter Cut-Off, and PRO-Coiler

Additional job site essentials.



ProTrax shown on optional Snap Stand

ProTrax® / MAXTrax®

The saw table designed for professional siding mechanics. Designed for oversized material.

- Item #11850 ProTrax
- Item #12282 MAXTrax
- Cuts multiple angles from 90° to 360°.
- Accommodates almost any 165mm–190mm circular saw.
- Captured saw track provides secure & safe operation.
- Free-floating saw boom for flexibility and time savings at the job site.
- Lightweight and durable tubular frame system.
- ProTrax: 330mm deck width; extended full working length 1,83m; boom length 1,22m
- MAXTrax: 508mm deck width; comes standard with ProTrax Extender Kit; boom length 2,44m!



ProTrax® Deck Extender Kit

Extend your saw table for wider materials.

- Item #11988
- Extends table deck to 20" (508mm) to accommodate siding, soffit, and decorative siding profiles.
- Converts the saw table into a layout table or universal workstation.
- Kit contains 2 extension pieces.

ITEM #	PRODUCT	LENGTH		WORKING WEIGHT		CAPACITIES
		FEET	METERS	POUNDS	KILOGRAMS	
14206	PRO 19	4'	1,22 m	56 lbs.	25,4 kg	Soft Aluminium: Up to 0,76mm Galvanised Steel: Up to 0,321mm Copper sheet & coil: Up to 453,6g
11825	PRO 19	6'	1,83 m	85 lbs.	38,6 kg	
10556	PRO 19	8' 6"	2,59 m	96 lbs.	43,4 kg	
10558	PRO 19	10' 6"	3,20 m	121 lbs.	54,7 kg	
10560	PRO 19	12' 6"	3,81 m	147 lbs.	66,8 kg	
10565	PRO 14	8' 6"	2,59 m	87 lbs.	39,3 kg	Soft Aluminium: Up to 0,76mm Galvanised Steel: Up to 0,321mm Copper sheet & coil: Up to 453,6g
10567	PRO 14	10' 6"	3,20 m	106 lbs.	48,1 kg	
10569	PRO 14	12' 6"	3,81 m	129 lbs.	58,4 kg	
10568	PRO 14 Heavy Duty	10' 6"	3,20 m	127 lbs.	57,6 kg	Soft Aluminium: Up to 1,016mm Galvanised Steel: Up to 0,405mm Copper sheet & coil: Up to 567g
11017	MAX-20	8' 6"	2,59 m	133 lbs.	60,1 kg	Aluminium: Up to 1,02mm Galvanised Steel Painted: Up to 0,45mm Soft & Annealed Copper: Up to 1,1mm Stainless Steel, ½ hard: Up to 0,5mm
11018	MAX-20	10' 6"	3,20 m	158 lbs.	71,6 kg	
11019	MAX-20	12' 6"	3,81 m	190 lbs.	86,0 kg	
10997	MAX-20	14' 6"	4,42 m	217 lbs.	98,3 kg	
14470	SUPERMAX	8' 6"	2,59 m	165 lbs.	74,84 kg	All Vinyl Sheet Aluminium: Up to 1,02mm Galvanised Steel: Up to 0,64mm CR Sheet & Coil Steel: Up to 0,64mm Soft & Annealed Copper: Up to 1,09mm Stainless Steel, ½ hard: Up to 0,5mm
14471	SUPERMAX	10' 6"	3,20 m	208 lbs.	94,35 kg	
14472	SUPERMAX	12' 6"	3,81 m	242 lbs.	109,77 kg	
10828	Windy "SP"	8' 6"	2,59 m	86 lbs.	38,9 kg	Soft Aluminium: Up to 0,76mm Galvanised Steel: Up to 0,29mm Copper: Up to 0,55mm
10829	Windy "SP"	10' 6"	3,20 m	104 lbs.	47,2 kg	
11720	Snap Stand	—	—	37 lbs.	16,8 kg	—
14978	Wheel Kit for Snap Stand	—	—	10 lbs.	4,5 kg	—
10776	Side-Winder	—	—	24 lbs.	10,9 kg	610mm x 30,48m coil or maximum capacity up to 22,68kg
10379	PRO Cut-Off	—	—	8 lbs.	3,6 kg	All Vinyl Aluminium: Up to 0,76mm, Galvanised Steel: Up to 0,321mm Copper: Up to 453,6g
11663	Angle Gauge	—	—	1 lb.	0,45 kg	—
12250	PRO Cut-Off Gauge	—	—	1 lb.	0,45 kg	—
11676	Brake Buddy	—	—	13 lbs.	5,9 kg	0,5mm aluminium PVC coated aluminium Vinyl coated trim coil
12261	Adjustable MAX Cut-Off	—	—	9 lbs.	4,1 kg	Aluminium: Up to 1,016mm Galvanised Steel: Up to 0,5mm Soft Copper: Up to 1,09mm Stainless Steel: Up to 0,5mm
11850	ProTrax	6'	2,54	82 lbs.	37,2 kg	Will accept material thickness up to 38mm
12282	MAXTrax	6'	2,54	113 lbs.	51,3 kg	Will accept material thickness up to 38mm
11988	ProTrax Deck Extender Kit	—	—	9 lbs.	4,1 kg	—
10385	Port-O-Slitter	—	—	82 lbs.	37,2 kg	Soft Aluminium: Up to 0,76mm Galvanised steel: Up to 0,321mm Copper: Up to 453,6g
12357	Slitter Snap Stand	—	—	—	—	—
10667	Slitter Cut-Off	—	—	—	—	—
10147	Folding Legs - Windy	—	—	13 lbs.	5,9 kg	—
10148	Folding Legs - PRO 14	—	—	13 lbs.	5,9 kg	—
10367	PRO-Coiler	—	—	10 lbs.	4,5 kg	Up to 610mm x 30,48m coil
T15436	TapcoTape	—	—	3 lbs.	—	—



Tapco-Europe-Tools.com | +44 (0)1482 880478



© 2026 Westlake

Item # 10813 | TT291452 05/26